

BROOKLYN

PASTRY DISPLAY CASE WITH STORAGE


AHRS - AHRS(LR) - AHRS(HR)

PASTRY DISPLAY CASE

AHS - AHS(LR) - AHS(HR)

NEUTRAL DISPLAY CASE

NHS - NHS(LR) - NHS(LR) - MCA - MINUS



Tablas / Chart / Table






BROOKLYN		PASTRY DISPLAY CASE WITH STORAGE					PASTRY DISPLAY CASE						
MODELO/ MODEL/ MODÈLE / MODELL		AHRS 850 / AHRS(LR) 850 / AHRS(HR) 850	AHRS 1250 / AHRS(LR) 1250 / AHRS(HR) 1250	AHRS 1650 / AHRS(LR) 1650 / AHRS(HR) 1650	AHRS 2050 / AHRS(LR) 2050 / AHRS(HR) 2050	AHRS 2500 / AHRS(LR) 2500 / AHRS(HR) 2500	AHS 850 / AHS(LR) 850 / AHS(HR) 850	AHS 1250 / AHS(LR) 1250 / AHS(HR) 1250	AHS 1650 / AHS(LR) 1650 / AHS(HR) 1650	AHS 2050 / AHS(LR) 2050 / AHS(HR) 2050	AHS 2500 / AHS(LR) 2500 / AHS(HR) 2500	AHS E90D / AHS(LR) E90D / AHS(HR) E90D	AHS E90I / AHS(LR) E90I / AHS(HR) E90I
Superficie exp. Surface exp. Surface exp. Präsentationsfläche	m ²	0.55	0.8	1.07	1.33	1.6	0.55	0.8	1.07	1.33	1.6	1.07	1.07
		0.75	1.1	1.45	1.45	2.2	0.75	1.1	1.45	1.45	2.2	1.45	1.45
		0.9	1.33	1.75	2.17	2.65	0.9	1.33	1.75	2.17	2.65	1.75	1.75
Nº puertas Doors Nº Portes Anzahl der Türen	nº	1	2	2	3	4					/		
Pot. frigorífica Refrigeration power Puissance frigorifique Kälteleistung	(-10°C/+45°C) W	447	549	549	746	746	447	549	549	746	747	549	549
Pot. eléctrica Electrical power Pot electricque Elektrische Energie	W	856	935	944	1292	1305	856	935	944	1292	1305	935	935
Temp. producto Product temp. Temp. produit Produkt-Temp.	°C	0 / +4											
Peso/ Weight/ Poids Gewicht	Kg	92	135	180	169	275	99	126	187	232	282	194	194
		97	140	185	174	280	104	131	192	237	287	199	199
		102	145	190	179	285	109	136	197	242	292	204	204
Dim. C/emb. (LxPxA) Dim With packaging (WxHxD) Dim Avec emballage (WxHxD) Abmessungen mit Verpackung (LxTxB)	mm	1080 x	1480 x	1880 x	2280 x	2780 x	1080 x	1480 x	1880 x	2280 x	2780 x	1880 x	1881 x
		1075 x	1075 x	1075 x	1075 x	1075 x	1075 x	1075 x	1075 x	1075 x	1075 x	1075 x	1075 x
		1055	1055	1055	1055	1055	1055	1055	1055	1055	1055	1055	1055

Tablas / Chart / Table / Tabellen

BROOKLYN		NEUTRAL PASTRY CASE											
MODELO/ MODEL/ MODÈLE / MODELL		NHS 850 / NHS(LR) 850 / NHS(HR) 850	NHS 1250 / NHS(LR) 1250 / NHS(HR) 1250	NHS 1650 / NHS(LR) 1650 / NHS(HR) 1650	NHS 2050 / NHS(LR) 2050 / NHS(HR) 2050	NHS 2500 / NHS(LR) 2500 / NHS(HR) 2500	NHS E90D / NHS(LR) E90D / AHRS(HR) E90D	NHS E90I / NHS(LR) E90I / AHRS(HR) E90I	MCA 500	MCA 850	MCA 1250	MCA 1650	MINUS 1000
Superficie exp. Surface exp. Surface exp. Präsentationsfläche	m ²	0.55	0.8	1.07	1.33	1.6	1.26	1.26	0.3	0.48	0.75	0.99	1.33
Pot. eléctrica Electrical power Pot electricque Elektrische Energie	W	10,5	9	12,5	19,5	18	12,5	12,5			/		
Temp. producto Product temp. Temp. produit Produkt-Temp.	°C	0 / +4											
Peso/ Weight/ Poids / Gewicht	Kg	0 103	0 144	0 189	0 234	0 284	0 209	0 209	0 103	0 144	0 189	0 234	0 234
Dim. C/emb. (LxPxX) Dim With packaging (WxHxD) Dim Avec emballage (WxHxD) Abmessungen mit Verpackung (LxTxH)	mm	1080 x 1075 x 1055	1480 x 1075 x 1055	1880 x 1075 x 1055	2280 x 1075 x 1055	2780 x 1075 x 1055	1880 x 1075 x 1055	1881 x 1075 x 1055	1080 x 1075 x 1055	1480 x 1075 x 1055	1880 x 1075 x 1055	2280 x 1075 x 1055	2280 x 1075 x 1055


Características / Features / Caractéristiques / Eigenschaften
































● Optional


Secciones / Sections / Sections / Abschnitte




AHRs




AHRSLR




AHRSHR




AHS




AHSLR




AHSHR



NHS




NHSLR




NHSHR




Secciones / Sections / Sections / Abschnitte




BMS-TOP




MCA_CL_DROP




MCA




MCA_CL



MCA_R




MCD



MBC



horexkal




horexkal



BROOKLYN ed.3

BROOKLYN

horexkal



horexkal.com

BROOKLYN ed.3